# Product datasheet

# OSRAM **XENARC COOL BLUE INTENSE D3S**

Extra-blue xenon light





### Xenon extra blue

Extra blue light due to a special filling system used instead of conventional coating



### Up to 6,000 Kelvin

High contrast and brilliantly blue light for most stylish and modern look on the road



## Up to 20% more light

For better visibility and shorter reaction times compared to standard xenon lamps



## The extra-blue xenon light with up to 6,000 K

XENARC COOL BLUE INTENSE - discover that modern look at high power for your truck! With its extra blue, high-contrast xenon light, this automotive lamp appeals especially to customers who like the perfect combination of stylish and individual design with exceptional road illumination. The high-tech xenon light with color temperatures of up to 6,000 Kelvin comes up with a highly efficient technology, brilliant effect and no-compromise design. Thanks to a special filling system which is used instead of conventional coating the lamp emits its extra blue light. This stylish light creates a highattention effect that helps you to be better seen by other motorists. Discover the exceptionally bright, high-contrast and brilliantly blue light with up to 6,000 Kelvin and 20% more light! Please note: XENARC lamp change is recommended to be carried out by a professional.

# Product datasheet

## Technical data


# **Electrical data**


Power input	35 W
Nominal voltage	42.0 V
Nominal wattage	35.00 W
Power input tolerance	±3 %
Test voltage	13.5 V

## Photometrical data

Luminous flux	3200 lm
Luminous flux tolerance	±15 %

# **Dimensions & weight**





Length	80.0 mm	
Diameter	9 mm	
Product weight	63.00 g	

# Lifespan

Lifespan B3	2000 h
Lifespan Tc	3000 h

# Additional product data

Base (standard designation)	PK32d-5
-----------------------------	---------

## **Certificates & standards**

ECE category	D3S <sup>1)</sup>
Approval marks – approval	E1 approval

1) To be operated only with approved electronic control gear

# Product datasheet

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899148710	XENARC COOL BLUE INTENSE D3S	Folding carton box 1	53 mm x 46 mm x 93 mm	0.23 dm <sup>3</sup>	82.96 g
4052899344501	XENARC COOL BLUE INTENSE D3S	Shipping carton box 4	115 mm x 101 mm x 103 mm	1.20 dm <sup>3</sup>	364.00 g
4052899344518	XENARC COOL BLUE INTENSE D3S	Shipping carton box 48	- x - x -		
4052899431768	XENARC COOL BLUE INTENSE D3S	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm <sup>3</sup>	218.08 g
4052899431775	XENARC COOL BLUE INTENSE D3S	Shipping carton box 10	257 mm x 129 mm x 121 mm	4.01 dm <sup>3</sup>	1170.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

File

# Pi

360 Degree Image

XENARC COOL BLUE INTENSE D3S 66340CBI

### \_

## Safety advice

XENARC lamp change is recommended to be carried out by a professional.

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











